

**HYFFA<sup>®</sup>**







ABOUT  
**HYFFA**

The Hyffa Story began 40 years ago when we decided to get into design and manufacturing crucial electrical equipment for the Indian Industry. Very early on, we had decided to prioritize quality as the basic foundation of every product we would design and manufacture. This meant that we had to continuously adapt to the changing requirements of the industry and maintain high standards of quality to be recommended by leading professionals. We added to our product range and grew steadily to become a 150-team professional organization fired by passion and driven by innovative spirit. Today, Hyffa is a vibrant organization that has expanded its product range and offers a wide range of electrical products and services for consumers and professionals.



We offer a wide range of lighting products, systems and solutions for architects, interior designers and consumers. Hyffa lighting solutions are designed to enhance the aesthetics of any space, whether residential, commercial, or industrial. We offer a wide range of products to suit any need, helping you create the perfect ambience.

HYFFA takes great pride in being a "Made in India" product and will continue to work on innovative products and solutions that are tailor-made for Indian conditions. Hyffa MCBs have been widely used across industries for decades, and the company has introduced ceiling fans to tackle Indian conditions. With a dedicated network of over 3000 dealers across Maharashtra, the company is poised for the next big leap.

WHY  
**HYFFA**

## EXPERIENCE

40 years of strong existence in the electrical industry

## HUGE TEAM

150+ employees focused and striving to deliver premium products that are best in service and cost-effective.

## COMMITMENT TO QUALITY

Solid commitment, quality and product satisfaction.



## ESTABLISHED NETWORK

Established network of 3000+ retailers across the state of Maharashtra

## MANUFACTURER

Manufacturer of a variety of LED Lighting solutions for residential, commercial & industrial use.

## EXCELLENT BY NATURE

Energy conservative products inspired by nature.

THAT'S  
**HYFFA**

# MISSION

To electrify and beautify spaces with the use of latest innovation in electrical products making the world a canvas of unparalleled creativity all around.



# VISION


To be a leader in the innovation and manufacturing of electrical products, lightings and solutions with meticulous application in order to reach the pinnacle of quality standards.

**LUXE LED**




# OUTDOOR LED FOOT LIGHTS

**HYF AL808010-4W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL808010 - 8W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL99010 Square - 4W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Clear PC  
 Body Color: Graphite Grey

**HYF AL99010 Round - 4W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Clear PC  
 Body Color: Graphite Grey

**HYF AL840110 Round - 3W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 Toughened Glass with ABS Recess Box  
 Body Color: Graphite Grey

**HYF AL840110 Square - 3W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 Toughened Glass with ABS Recess Box  
 Body Color: Graphite Grey

**HYF AL291110 - 3W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey


**HYF AL930610 - 6W**



Cut Size: 126 x 75 x 70mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 PC Diffuser with ABS Recess Box  
 Body Color: Graphite Grey

**HYF AL3310 - 3W**




Cut Size: 80 x 80 x 45mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 PC Diffuser with ABS Recess Box  
 Body Color: Graphite Grey

# OUTDOOR LED FOOT LIGHTS

**HYF AL908110 - 3W**



Cut Size: 185 x 36 x 45mm

Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium,  
Toughened Glass with Metal Recess Box  
Body Color: Graphite Grey

**HYF AL390610-A - 4W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium,  
S.S. 304 Grade Laser cut Plate  
PC Diffusser with ABS Recess Box  
Body Color: Steel Finish

**HYF AL391010-A - 4W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium,  
S.S. 304 Grade Laser cut Plate  
PC Diffusser with ABS Recess Box  
Body Color: Steel Finish

**HYF AL390610-B - 4W**




Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium,  
S.S. 304 Grade Laser cut Plate  
PC Diffusser with ABS Recess Box  
Body Color: Steel Finish

**HYF AL391010-B - 4W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium,  
S.S. 304 Grade Laser cut Plate  
PC Diffusser with ABS Recess Box  
Body Color: Steel Finish

**HYF AL390610-C - 4W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium,  
S.S. 304 Grade Laser cut Plate  
PC Diffusser with ABS Recess Box  
Body Color: Steel Finish

**HYF AL391010-C - 4W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium,  
S.S. 304 Grade Laser cut Plate  
PC Diffusser with ABS Recess Box  
Body Color: Steel Finish

**HYF AL390610-D - 4W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium,  
S.S. 304 Grade Laser cut Plate  
PC Diffusser with ABS Recess Box  
Body Color: Steel Finish

**HYF AL391010-D - 4W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium,  
S.S. 304 Grade Laser cut Plate  
PC Diffusser with ABS Recess Box  
Body Color: Steel Finish

# OUTDOOR LED FOOT LIGHTS

**HYF AL390610-E - 4W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 S.S. 304 Grade Laser cut Plate  
 PC Diffusser with ABS Recess Box  
 Body Color: Steel Finish

**HYF AL391010-E - 4W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 S.S. 304 Grade Laser cut Plate  
 PC Diffusser with ABS Recess Box  
 Body Color: Steel Finish


**HYF AL390610-ENTRY - 4W**



Cut Size: 126 x 75 x 70mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 S.S. 304 Grade Laser cut Plate  
 PC Diffusser with ABS Recess Box  
 Body Color: Steel Finish

**HYF AL390610-EXIT - 4W**



Cut Size: 80 x 80 x 45mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 S.S. 304 Grade Laser cut Plate  
 PC Diffusser with ABS Recess Box  
 Body Color: Steel Finish

# INDOOR LED FOOT LIGHTS



**HYF AL2610 A - 3W**



Cut Size: Ø50 x 55 mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 PC Diffuser with metal recess box  
 Body Color: White

**HYF AL2510 Round - 3W**



Color Temperature : 3000K, 6000k  
 Material: Die-casting Aluminium with  
 Metal Recess Box  
 Body Color: White



**HYF AL2610 B - 3W**



Cut Size: Ø50 x 55 mm



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 PC Diffuser with metal recess box  
 Body Color: White

**HYF AL2510 Square - 3W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with  
 metal recess box  
 Body Color: White



**HYF AL2610 C - 3W**



Cut Size: Ø50 x 55 mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 PC Diffuser with metal recess box  
 Body Color: White

**HYF AL809010 - 3W**




Cut Size: Ø47 x 70 mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 PC Diffuser with ABS recess Box  
 Body Color: White


# OUTDOOR LED WALL LIGHTS

**HYF AL200410 - Square Lens**




LED : 1x3W, 2x3W, 3x3W, 4x3W  
 Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Acrylic Square Lens  
 Body Color: Graphite Grey

**HYF AL200410 - Round Lens**




LED : 1x3W, 2x3W, 3x3W, 4x3W  
 Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL400210 - Square Lens**




LED : 2x3W, 1x3W, 2x5W, 1x5W  
 Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Acrylic Square Lens  
 Body Color: Graphite Grey

**HYF AL400210 - Round Lens**



LED : 2x3W, 1x3W, 2x5W, 1x5W  
 Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Acrylic Round Lens  
 Body Color: Graphite Grey

**HYF AL88110-2 Square**



LED : 2X5W(COB)  
 Holder: 2xGU-10  
 Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL88110-2 Round**




LED : 2X5W(COB)  
 Holder: 2xGU-10  
 Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL88110-1 Square**




LED : 1X5W(COB) Holder: 1xGU-10  
 Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL88110-1 Round**



LED : 1X5W(COB) Holder: 1xGU-10  
 Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL88010 - Surface Square**



LED : 1X5W(COB) Holder: 1xGU-10  
 Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey


# OUTDOOR LED WALL LIGHTS

**HYF AL200410 - Square Lens**



LED : 1X5W(COB) Holder: 1xGU-10  
Material: Die-casting Aluminium,  
Metalised Reflector with Toughened Glass  
Body Color: Graphite Grey

**HYF AL909010 - 2x3W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium with  
Toughened Glass  
Body Color: Graphite Grey

**HYF AL18810 - 6W Wall Light**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium with PC Diffuser  
Body Color: Graphite Grey

**HYF AL250910**



LED : 4x3W, 4x1W  
Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium with  
Toughened Glass  
Body Color: Graphite Grey

**HYF AL702010**




LED : 4X3W, 4x1W  
Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium with  
Acrylic Lens  
Body Color: Graphite Grey

**HYF AL701010**




LED : 2x3W, 1x3W  
Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium with  
Acrylic Lens  
Body Color: Graphite Grey , PKW

**HYF AL24610**




LED : 2X1W  
LED Color : Red, Green, Blue, Yellow  
Material: Die-casting Aluminium with Acrylic Lens  
Body Color: Graphite Grey

**HYF AL24610**



LED : 4X1W  
LED Color : Red, Green, Blue, Yellow  
Material: Die-casting Aluminium with Acrylic Lens  
Body Color: Graphite Grey


**HYF AL24610**



LED : 6X1W  
LED Color : Red, Green, Blue, Yellow  
Material: Die-casting Aluminium with Acrylic Lens  
Body Color: Graphite Grey

# OUTDOOR LED WALL LIGHTS

**HYF AL809110**




LED : 1x3W, 1x5W (COB) Model no: 228-10W  
 Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL23410 - 2x6W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with  
 Toughened Glass  
 Body Color: Graphite Grey

**HYF AL33310 - 2x6W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey


**HYFFA 15**

**HYF AL809110**



LED : 2x3W, 2x5W(COB)  
 Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 Metalised Re flector with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL43210 - 2x8W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with  
 PC Diffuser  
 Body Color: Graphite Grey

**HYF AL400410 - 4x3W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with  
 Toughened Glass  
 Body Color: Graphite Grey

**HYF AL23410 - 2x8W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 Toughened Glass  
 Body Color: Graphite Grey

**HYF AL43210 - 2x6W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with  
 PC Diffuser  
 Body Color: Graphite Grey

**HYF AL606010 - 3x3W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Acrylic Lens  
 Body Color: Graphite Grey

# OUTDOOR LED WALL LIGHTS

**HYF AL205410 - 2x3W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL103310 - 6W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL103410 - 8W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL64210 - 2x3W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Acrylic Lens  
 Body Color: Graphite Grey

**HYF AL64210 - 4x3W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Acrylic Lens  
 Body Color: Graphite Grey

**HYF AL64210 - 6x3W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Acrylic Lens  
 Body Color: Graphite Grey

**HYF AL891010 - 12W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL140410 - 2x6W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL140410 - 1x6W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey


# OUTDOOR LED WALL LIGHTS

**HYF AL140410 Surface - 6W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium with PC Diffuser  
Body Color: Graphite Grey

**HYF AL400510 - 6W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium with PC Diffuser  
Body Color: Graphite Grey

**HYF AL88210 - 5W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
Body Color: Graphite Grey

# OUTDOOR LED TRICK LIGHTS

**HYF AL18010 - 6W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium with Acrylic Lens  
Body Color: Graphite Grey

**HYF AL36010 - 9W**



Color Temperature : 3000K, 6000K  
Material: Die-casting Aluminium with Acrylic Lens  
Body Color: Graphite Grey

# OUTDOOR BULK-HEAD LIGHTS

**HYF AL10 Prisma Vertical A**



Holder: B-22  
Body Color: Black  
Material: Die-casting Aluminium with Frosted Glass

**HYF AL10 Prisma Horizontal B**



Holder: B-22  
Body Color: Black  
Material: Die-casting Aluminium with Frosted Glass

**HYF AL10 Prisma Horizontal A**



Holder: B-22  
Body Color: Black  
Material: Die-casting Aluminium with Frosted Glass

**HYF AL10 Prisma Vertical B**



Holder: B-22  
Body Color: Black  
Material: Die-casting Aluminium with Frosted Glass

# OUTDOOR LED WALL LIGHTS

HYF AL161910 - 2



Wattage	Diameter	Height
2x12W	88mm	235mm
2x18W	88mm	355mm
2x24W	128mm	395mm
2x30W	128mm	450mm
2x40W	128mm	530mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Toughened Glass with Metalised Reflector  
 Body Color: Graphite Grey

HYF AL261010 - 2



Wattage	Width	Height
2x12W	90mm	220mm
2x24W	118mm	340mm
2x36W	118mm	420mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Toughened Glass with Metalised Reflector  
 Body Color: Graphite Grey

HYF AL104610 - 1



Wattage	Diameter	Height
1x12W	88mm	130mm
1x18W	88mm	220mm
1x24W	128mm	250mm
1x30W	128mm	280mm
1x40W	128mm	340mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Toughened Glass with Metalised Reflector  
 Body Color: Graphite Grey

HYF AL261010 - 1



Wattage	Width	Height
1x12W	90mm	120mm
1x24W	118mm	215mm
1x36W	118mm	275mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Toughened Glass with Metalised Reflector  
 Body Color: Graphite Grey

HYF AL104610 - Surface



Wattage	Diameter	Height
12W	88mm	150mm
18W	88mm	235mm
24W	128mm	260mm
30W	128mm	270mm
40W	128mm	350mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Toughened Glass with Metalised Reflector  
 Body Color: Graphite Grey

HYF AL261010 - Surface



Wattage	Width	Height
12W	90mm	125mm
24W	118mm	230mm
36W	118mm	290mm

Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Toughened Glass with Metalised Reflector  
 Body Color: Graphite Grey

# GARDEN SPIKE LIGHTS

**HYF AL510010 - 7W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike  
 Body Color: Graphite Grey

**HYF AL510010 - 12W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike  
 Body Color: Graphite Grey

**HYF AL510010 Cap - 7W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike  
 Body Color: Graphite Grey

**HYF AL510010 Cap - 12W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike  
 Body Color: Graphite Grey

**HYF AL510010 Cap W/L - 7W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL510010 Cap W/L - 12W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike  
 Body Color: Graphite Grey

**HYF AL510010 W/L 7W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL510010 W/L - 12W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

# GARDEN SPIKE LIGHTS

## HYF AL409510 Spike



LED: 5W Holder: GU-10, MR-16  
 Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 Metalised Reflector with Toughened Glass  
 Body Color: Black

## HYF AL409510 Cap Spike



LED: 5W Holder: GU-10, MR-16  
 Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 Metalised Reflector with Toughened Glass  
 Body Color: Black

## HYF AL409510 Wall Light



LED: 5W Holder: GU-10, MR-16  
 Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 Metalised Reflector with Toughened Glass  
 Body Color: Black

## HYF AL409510 Cap W/L



LED: 5W Holder: GU-10, MR-16  
 Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 Metalised Reflector with Toughened Glass  
 Body Color: Black

## HYF AL404010 - 7W



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised  
 Reflector, Toughened Glass with ABS Spike  
 Body Color: Graphite Grey

## HYF AL20710

Wattage	Diameter	Height
5W	63mm	100mm
10W	76mm	135mm
15W	88mm	173mm



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised  
 Reflector with Toughened Glass  
 Body Color: Black



# IN-GROUND LED BURIAL LIGHTS

**HYF AL405010 - 1x1W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 PC Diffuer with ABS Recess Box  
 Body Color: Graphite Grey

**HYF AL405010 - 2x1W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 PC Diffuer with ABS Recess Box  
 Body Color: Graphite Grey

**HYF AL405010 - 4x1W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 PC Diffuer with ABS Recess Box  
 Body Color: Graphite Grey

**HYF AL405010 - 3x1W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium,  
 PC Diffuer with ABS Recess Box  
 Body Color: Graphite Grey

**HYF AL505010 - 12W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, 302 Grade SS  
 Plate, Toughened Glass with ABS Recess Box  
 Body Color: Steel Finish

**HYF AL505010 - 7W**



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, 302 Grade SS  
 Plate, Toughened Glass with ABS Recess Box  
 Body Color: Steel Finish

**HYF AL808110 - 3W**



Color Temperature : 3000K, 6000K      Material: S.S. 304 Grade, Optical Lens,  
 Toughened Glass with ABS Recess Box  
 Body Color: Steel Finish




# INDOOR LED WALL LIGHTS

HYF AL2810 - 3



LED: 3X5W Holder: GU-10  
Material: Die-casting Aluminium  
with Toughened Glass  
Body Color: White

HYF AL2810 - 2



LED: 2X5W Holder: GU-10  
Material: Die-casting Aluminium  
with Toughened Glass  
Body Color: White

HYF AL2810 - 1



LED: 1X5W Holder: GU-10  
Material: Die-casting Aluminium  
with Toughened Glass  
Body Color: White

HYF AL2710 - 3



LED: 3X7W  
Material: Die-casting Aluminium  
with PC Diffuser  
Body Color: White

HYF AL2710 - 2



LED: 2X7W  
Material: Die-casting Aluminium  
with PC Diffuser  
Body Color: White

HYF AL2710 - 1



LED: 1X7W  
Material: Die-casting Aluminium  
with PC Diffuser  
Body Color: White

HYF AL2910 - 3



LED: 3X6W Material: Die-casting  
Aluminium with PC Diffuser  
Body Color: White

HYF AL2910 - 2



LED: 2X6W Material: Die-casting  
Aluminium with PC Diffuser  
Body Color: White


HYF AL2910 - 1



LED: 1X6W Material: Die-casting  
Aluminium with PC Diffuser  
Body Color: White


# LED LAWN LIGHTS

**HYF AL270010 - 12W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL720010 - 12W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL222310 - 12W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL17110-12W + Indicator-2W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL122410 - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey


**HYF AL440010 - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey


# LED LAWN LIGHTS

**HYF AL40410 - 12W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Clear PC  
 Body Color: Graphite Grey

**HYF AL50510 - 12W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Clear PC  
 Body Color: Graphite Grey

**HYF AL771110 - 12W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL454510 - 12W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium with Touchened Glass  
 Body Color: Graphite Grey

**HYF AL18810 - 6W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser Body Color: Graphite Grey


**HYF AL18810 - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser Body Color: Graphite Grey


# LED LAWN LIGHTS

## HYF AL636310 - 1x5W




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

## HYF AL636310 - 2x5W




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

## HYF AL880010 - 1x5W



Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

## HYF AL880010 - 2x5W




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

## HYF AL232010-12W



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser Body Color: Graphite Grey


## HYF AL600310 - 12W



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser Body Color: Graphite Grey


# LED LAWN LIGHTS

**HYF AL188110 - 1x7W**




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL188110 - 2x7W**




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL368810 - 1x5W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL368810 - 2x5W**




Color Temperature : 3000K, 6000K  
 Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL646410 - 1x5W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey


**HYF AL646410 - 2x5W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass  
 Body Color: Graphite Grey


# LED LAWN LIGHTS

**HYF AL350010 - 12W**




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL354510 Wall Light - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL404110 - 5W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL404110 Wall Light - 5W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL88810 - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey


**HYF AL88810 - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey


# LED LAWN LIGHTS

**HYF AL666010 - 12W**




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL666010 - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL19910**




LED : 12W    Holder : E-27  
 Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL19910**




LED : 12W    Holder : E-27  
 Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL20210 - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey


**HYF AL20210 - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey


# LED LAWN LIGHTS

**HYF AL30310 - 12W**




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL30310 - 12W**




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL333010 - 12W**




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL333010 - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL234010 - 12"-12W / 20"-18W / 30"- 24W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey


**HYF AL232310 - 12W Wall Light**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey


# LED LAWN LIGHTS

HYF AL300510 Bollard - 12"-12W, 20"-18W, 30"-24W



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

HYF AL603010 Wall Light - 12W



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

HYF AL708010 - 12W



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

HYF AL708110 - 12W




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey




# LED LAWN LIGHTS

**HYF AL708010 - 12W**




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL707010 - 12W**




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL707110 - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL707010 - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

# LED LAWN LIGHTS

## HYF AL27010 Square - Bollard



Holder : E-27  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL27010 Round - Bollard




Holder : E-27  
 Material : Die-casting Aluminium with Frosted PC Diffuser  
 Body Color: Graphite Grey

## HYF AL729910 - Bollard




Holder : E-27  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL27010 Square - Wall Light



Holder : E-27  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL27010 Square - Gate Light



Holder : E-27  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL27010 Round - Wall Light




Holder : E-27  
 Material : Die-casting Aluminium with Frosted PC Diffuser  
 Body Color: Graphite Grey

## HYF AL27010 Round - Gate Light



Holder : E-27  
 Material : Die-casting Aluminium with Frosted PC Diffuser  
 Body Color: Graphite Grey

## HYF AL729910 - Wall Light



Holder : E-27  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL729910 - Gate Light



Holder : E-27  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

# LED LAWN LIGHTS

**HYF AL17710**



Holder : E-27  
 Material : Die-casting Aluminium, PC Diffuser Toughened Glass  
 Body Color: Graphite Grey

**HYF AL17710 - Wall Light**



Holder : E-27  
 Material : Die-casting Aluminium, PC Diffuser Toughened Glass  
 Body Color: Graphite Grey

**HYF AL17810**



Holder : E-27  
 Material : Die-casting Aluminium, PC Diffuser Toughened Glass  
 Body Color: Graphite Grey

**HYF AL17810 - Wall Light**



Holder : E-27  
 Material : Die-casting Aluminium, PC Diffuser with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL90910 Bollard - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with Frosted PC Diffuser  
 Body Color: Silver & Black

**HYF AL90910 Wall Light - 12W**



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with Frosted PC Diffuser  
 Body Color: Graphite Grey


# LED LAWN LIGHTS

## HYF AL112210



Holder : E-27  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL112310



Holder : E-27  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL880210 - 10" - Gate Light



LED: 15W  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL112210 - Small Gate Light



Holder : E-27  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL112210 - Big Gate Light



Holder : E-27  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL112310 - Small Gate Light




Holder : E-27  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL112310 - Big Gate Light



Holder : E-27  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey


## HYF AL880210-6" - Gate Light



LED: 12W  
 Material : Die-casting Aluminium with PC Diffuser  
 Holder: E-27  
 Body Color: Graphite Grey


# LED LAWN LIGHTS

## HYF AL200710 - 12W




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL200710 - 2x12W




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL200710 - 1x12W - Wall Light



Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL200710 - 2x12W - Wall Light




Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey



# LED LAWN LIGHTS

## HYF AL10 CRISS-CROSS



105mm  
105mm

10" - 12W  
20" - 18W  
30" - 24W

Color Temperature : 3000K, 6000K    Body Color: Black  
Material : Die-casting Aluminium, Laser cut on Galvanised MS sheet with PC Diffuser

## HYF AL10 MASE




105mm  
105mm

10" - 12W  
20" - 18W  
30" - 24W

Color Temperature : 3000K, 6000K    Body Color: Black  
Material : Die-casting Aluminium, Laser cut on Galvanised MS sheet with PC Diffuser

## HYF AL10 HONEYCOMB



105mm  
105mm

10" - 12W  
20" - 18W  
30" - 24W

Color Temperature : 3000K, 6000K    Body Color: Black  
Material : Die-casting Aluminium, Laser cut on Galvanised MS sheet with PC Diffuser

## HYF AL10 GALAXY



105mm  
105mm

10" - 12W  
20" - 18W  
30" - 24W

Color Temperature : 3000K, 6000K    Body Color: Black  
Material : Die-casting Aluminium, Laser cut on Galvanised MS sheet with PC Diffuser

## HYF AL10 ORBIT



105mm  
105mm

10" - 12W  
20" - 18W  
30" - 24W

Body Color: Black

Color Temperature : 3000K, 6000K    Material : Die-casting Aluminium,  
Laser cut on Galvanised MS sheet with PC Diffuser

## HYF AL10 ZEBRA



105mm  
105mm

10" - 12W  
20" - 18W  
30" - 24W

Body Color: Black

Color Temperature : 3000K, 6000K    Material : Die-casting Aluminium,  
Laser cut on Galvanised MS sheet with PC Diffuser

# OUTDOOR LED WALL LIGHTS

**HYF SL 30110 Gate Light**



(mm)	Small	Medium	Big
Height	355	430	585
Width	155	190	265
P.Ø	50	60	75

Holder: B-22      Size: Small, Medium, Big  
 Material : Die-casting Aluminium with Frosted Glass  
 Body Color: Black

**HYFSL 30110 Wall Light**



(mm)	Small	Medium	Big
Height	355	420	580
Width	155	190	265

Holder: B-22      Size: Small, Medium, Big  
 Material : Die-casting Aluminium with Frosted Glass  
 Body Color: Black

**HYFSL 20110 Gate Light**



(mm)	Small	Big
Height	400	585
Width	205	265
P.Ø	60	75

Holder: B-22      Size: Small, Big  
 Material : Die-casting Aluminium with Frosted Glass  
 Body Color: Black

**HYFSL 20110 Wall Light**



(mm)	Small	Big
Height	390	510
Width	205	295

Holder: B-22      Size: Small, Big  
 Material : Die-casting Aluminium with Frosted Glass  
 Body Color: Black

**HYFSL 50110 Gate Light**



(mm)	Small	Medium	Big
Height	320	440	675
Width	210	260	320

Holder: B-22      Size: Small, Medium, Big  
 Material : Die-casting Aluminium with Frosted Glass  
 Body Color: Black

**HYFSL 50110 Wall Light**



(mm)	Small	Medium	Big
Height	320	395	580
Width	210	260	320

Holder: B-22      Size: Small, Medium, Big  
 Material : Die-casting Aluminium with Frosted Glass  
 Body Color: Black

# OUTDOOR LED WALL LIGHTS

**HYFSL 99910 Gate Light**



(mm)	Small	Medium	Big
Height	350	385	500
Width	195	220	265
P.Ø	50	60	75

Holder: B-22      Size: Small, Medium, Big  
 Material : Die-casting Aluminium with Frosted Glass  
 Body Color: Black

**HYFSL 99910 Wall Light**



(mm)	Small	Medium	Big
Height	350	385	500
Width	195	220	265

Holder: B-22      Size: Small, Medium, Big  
 Material : Die-casting Aluminium with Frosted Glass  
 Body Color: Black

**HYFSL 44410 Gate Light**



(mm)	Small	Big
Height	230	390
Width	140	180
P.Ø	50	60

Holder: B-22      Size: Small, Big  
 Material : Die-casting Aluminium with Frosted Glass  
 Body Color: Black

**HYFSL 44410 Wall Light**



(mm)	Small	Big
Height	240	380
Width	140	180

Holder: B-22      Size: Small, Big  
 Material : Die-casting Aluminium with Frosted Glass  
 Body Color: Black

**HYFSL 707210 Gate Light**



(mm)	Dimension
Height	320
Width	155
P.Ø	50

Holder: E-27  
 Material : Die-casting Aluminium with Frosted Glass  
 Body Color: Black

**HYFSL 707210 Wall Light**



Holder: E-27  
 Material : Die-casting Aluminium with Frosted Glass  
 Body Color: Antique

# PENDANT/ HANGING LIGHTS

HYF AL10 7500



Wattage	Diameter	Height
12W	Ø100mm	300mm
18W	Ø100mm	450mm
24W	Ø100mm	600mm

HYF AL10 7600



Wattage	Diameter	Height
12W	Ø75mm	300mm
18W	Ø75mm	450mm
24W	Ø75mm	600mm

HYF AL10 28 - 1



Wattage	Diameter	Height
5W	63mm	245mm
10W	76mm	270mm
15W	88mm	295mm

HYF AL10 1211



Size: 12", 15", 17", 19.5", 24"

HYF AL10 1210



Size: 12", 14", 16"

HYF AL10 1010



Size: 12", 14", 16"

HYF AL10 1011



HYF AL10 1212



HYF AL10 8010



# PENDANT/ HANGING LIGHTS

HYF AL10 8008



HYF AL10 8100



HYF AL10 1406



HYF AL10 7015



SL 7072 Hanging Light



# OUTDOOR LED POLE LIGHTS

**HYF AL8303810 Round Head**




LED: 50W, 100W  
 Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL8303810 Round Gate Light**



LED: 50W, 100W  
 Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL8303810 Square Head**



LED: 50W, 100W  
 Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL17810 - Wall Light**



LED: 50W, 100W  
 Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL8303810 Round**



LED: 50W, 100W  
 Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser  
 Body Color: Graphite Grey


**HYF AL8303810 Square**



LED: 50W, 100W  
 Colour Temperature : 3000K, 6000K  
 Material : Die-casting Aluminium with PC Diffuser and Galvanised MS Pole  
 Body Color: Graphite Grey

# OUTDOOR LED POLE LIGHTS

## HYF CRISS-CROSS - 80W




Color Temperature : 3000K, 6000K  
Material : Laser cut on Galvanised MS Sheet with PC Diffuser  
Body Color: Graphite Grey

## HYF CRISS-CROSS - 40W



Color Temperature : 3000K, 6000K  
Material : Laser cut on Galvanised MS Sheet with PC Diffuser  
Body Color: Graphite Grey

## HYF MASE - 80W



Color Temperature : 3000K, 6000K  
Material : Laser cut on Galvanised MS Sheet with PC Diffuser  
Body Color: Graphite Grey


## HYF MASE - 40W



Color Temperature : 3000K, 6000K  
Material : Laser cut on Galvanised MS Sheet with PC Diffuser  
Body Color: Graphite Grey

# OUTDOOR LED POLE LIGHTS

## HYF GALAXY-80W




Color Temperature : 3000K, 6000K  
Material : Laser cut on Galvanised MS Sheet with PC Diffuser  
Body Color: Graphite Grey

## HYF MASE - 40W




Color Temperature : 3000K, 6000K  
Material : Laser cut on Galvanised MS Sheet with PC Diffuser  
Body Color: Graphite Grey

## HYF HONEY COMB - 80W



Color Temperature : 3000K, 6000K  
Material : Laser cut on Galvanised MS Sheet with PC Diffuser  
Body Color: Graphite Grey


## HYF MASE - 40W



Color Temperature : 3000K, 6000K  
Material : Laser cut on Galvanised MS Sheet with PC Diffuser  
Body Color: Graphite Grey

# OUTDOOR LED POLE LIGHTS

## HYF ORBIT - 80W




Color Temperature : 3000K, 6000K  
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser  
 Body Color: Graphite Grey

## HYF ORBIT - 40W




Color Temperature : 3000K, 6000K  
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser  
 Body Color: Graphite Grey

## HYF AL254510-1X30W



Color Temperature : 3000K, 6000K  
 Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass and Galvanised MS Pole  
 Body Color: Graphite Grey


## HYF AL254510-2X30W



Color Temperature : 3000K, 6000K  
 Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass and Galvanised MS Pole  
 Body Color: Graphite Grey


# OUTDOOR LED POLE LIGHTS

**HYF AL771110 - 30W 113mm**




Color Temperature : 3000K, 6000K  
Material : Galvanised MS Pole and Toughened Glass  
Body Color: Graphite Grey

**HYF AL771110 -50W 140mm**




Color Temperature : 3000K, 6000K  
Material : Galvanised MS Pole and Toughened Glass  
Body Color: Graphite Grey

**HYF AL772210 - 60W 113mm**



Color Temperature : 3000K, 6000K  
Material : Galvanised MS Pole and Toughened Glass  
Body Color: Graphite Grey


**HYF AL772310 - 60W 140mm**



Color Temperature : 3000K, 6000K  
Material : Galvanised MS Pole and Toughened Glass  
Body Color: Graphite Grey


# OUTDOOR LED POLE LIGHTS

**HYF AL754510-2X30W + 40W Diffuser**




Color Temperature : 3000K, 6000K  
 Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass and Galvanised MS Pole with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL754510-1X30W + 40W Diffuser**



Color Temperature : 3000K, 6000K  
 Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass and Galvanised MS Pole with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL452510-2X30W**



Color Temperature : 3000K, 6000K  
 Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass and Galvanised MS Pole  
 Body Color: Graphite Grey

**HYF AL452510-1X30W**



Color Temperature : 3000K, 6000K  
 Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass and Galvanised MS Pole  
 Body Color: Graphite Grey

# OUTDOOR LED POLE LIGHTS

**HYF AL453010 - 36W**




Color Temperature : 3000K, 6000K  
Material : Galvanised MS Pole with Toughened Glass  
Body Color: Graphite Grey

**HYF AL454510 - 36W**



Color Temperature : 3000K, 6000K  
Material : Galvanised MS Pole with Toughened Glass  
Body Color: Graphite Grey

**HYF AL456510 - 60W**



Color Temperature : 3000K, 6000K  
Material : Galvanised MS Pole with PC Diffuser  
Body Color: Graphite Grey


**HYF ZEBRA - 40W**



Color Temperature : 3000K, 6000K  
Material : Laser cut on Galvanised MS Sheet with PC Diffuser  
Body Color: Graphite Grey


# OUTDOOR LED POLE LIGHTS

**HYF AL234010 - 60W**




Color Temperature : 3000K, 6000K  
Material : Galvanised MS Pole with Toughened Glass  
Body Color: Graphite Grey

**HYF AL232010 - 36W**




Color Temperature : 3000K, 6000K  
Material : Galvanised MS Pole with PC Diffuser  
Body Color: Graphite Grey

**HYF AL300510 - 60W**



Color Temperature : 3000K, 6000K  
Material : Galvanised MS Pole with PC Diffuser  
Body Color: Graphite Grey


**HYF AL600310 - 36W**



Color Temperature : 3000K, 6000K  
Material : Galvanised MS Pole with PC Diffuser  
Body Color: Graphite Grey

# OUTDOOR LED POLE LIGHTS

**HYF AL77710 40W + 60W Diffuser**



Color Temperature : 3000K, 6000K  
 Material : Galvanised MS, Aluminium Extruded Pole with PC Diffuser  
 Body Color: Graphite Grey

**HYF AL37710 - 30W**



Color Temperature : 3000K, 6000K  
 Material : Galvanised MS Pole  
 Body Color: White + Graphite Grey

**HYF AL889910 - 36W**



Color Temperature : 3000K, 6000K  
 Material : Galvanised MS Pipe with Toughened Glass  
 Body Color: Graphite Grey

**HYF AL999910 - 80W + 48W Diffuser**



Color Temperature : 3000K, 6000K  
 Body Color: Graphite Grey  
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser & Metalised Reflector and Toughened Glass

# TRIMLESS COB

PRODUCT CODE: HYFARHTRIMLESCOBDL 218

OPTIONS: GUN METAL, BLACK, WHITE

Color Temperature:  
3000K / 4000K / 6500K



Model no: 218-7W    Beam Angle: 27°  
Power: 7W



Model no: 218-12W    Beam Angle: 30°  
Power: 12W



Model no: 218-18W  
Power: 18W  
Beam Angle: 30°



# BORDERLESS COB

PRODUCT CODE: HYFARHCUPCOB 208

OPTIONS: BLACK, WHITE, ROSE GOLD

Color Temperature: 3000K / 4000K / 6500K



Model no: 208-7W    Beam Angle: 30°  
Power: 7W



Model no: 208-12W    Beam Angle: 30°  
Power: 12W



Model no: 208-18W    Beam Angle: 30°  
Power: 18W

# PREMIUM DECO SERIES COB

PRODUCT CODE: HYFARHDECO 138

OPTIONS: GUN METAL, ROSE GOLD

Color Temperature: 3000K / 4000K / 6500K



Model no: 138-7W    Beam Angle: 36°  
Power: 7W



Model no: 138-12W    Beam Angle: 36°  
Power: 12W



Model no: 138-18W    Beam Angle: 36°  
Power: 18W

# LOW DEEP

PRODUCT CODE: HYFARHDEEPCOB 198

OPTIONS: BLACK, WHITE

Color Temperature: 3000K / 4000k / 6500K




Model no: 198-7W    Beam Angle: 30°  
Power: 7W



Model no: 198-12W    Beam Angle: 30°  
Power: 12W



Model no: 198-18W    Beam Angle: 30°  
Power: 18W



# SURFACE MOVABLE CYLINDER

PRODUCT CODE: HYFARHSFCYL 158

BODY: BLACK OPTIONS: BLACK, WHITE, ROSE GOLD

Color Temperature: 3000K / 4000K / 6500K



Model no: 158-7W Beam Angle: 36°  
Power: 7W



Model no: 158-12W Beam Angle: 36°  
Power: 12W



Model no: 158-18W Beam Angle: 36°  
Power: 18W

# POP UP COB LIGHT

PRODUCT CODE: HYFARHPOPUP 188

OPTIONS: BLACK, WHITE

Color Temperature: 3000K / 4000K / 6500K



Model no: POPUP188-7W Beam Angle: 27°  
Power: 7W




Model no: POPUP188-12W Beam Angle: 27°  
Power: 12W



Model no: POPUP188-24W Beam Angle: 27°  
Power: 12Wx2



**LED**



# ALTO SERIES

PRODUCT CODE: HYFARHCOBR3CCT 118

OPTIONS: BLACK AND WHITE



Model no: 118-7W    Beam Angle: 35°  
Power: 7W



Model no: 118-12W    Beam Angle: 35°  
Power: 12W



Model no: 118-18W    Beam Angle: 35°  
Power: 18W

Color Temperature: 3000K / 4000k / 6500K / 3in1 / Dimmable and Tunebale on remote

Remote Optional



# DECO SERIES

PRODUCT CODE: HYFARHCOBR3CCT 128

OPTIONS: GUNMETAL, BLACK, ROSE GOLD

GUNMETAL



Model no: 128-7W    Beam Angle: 35°  
Power: 7W

BLACK



Model no: 128-12W    Beam Angle: 35°  
Power: 12W

ROSE GOLD



Model no: 128-18W    Beam Angle: 35°  
Power: 18W

Color Temperature: 3000K / 4000k / 6500K / 3in1 / Dimmable and Tunebale on remote



# DECO SURFACE CYLINDER SERIES

PRODUCT CODE: HYFARHCOBRSF 258

OPTIONS: ROSE GOLD, GUNMETAL, BLACK

ROSE GOLD



Model no: 258-7W Beam Angle: 35°  
Power: 7W

WHITE



Model no: 258-12W Beam Angle: 35°  
Power: 12W

BLACK



Model no: 258-18W Beam Angle: 35°  
Power: 18W

Color Temperature: 3000K / 4000k / 6500K

# DECO CYLINDER SERIES

PRODUCT CODE: HYFARHCOBRSF 148 (NEW)

OPTIONS: ROSE GOLD, TITANIUM, BLACK.

TITANIUM



Model no: 148-7W (NEW) Beam Angle: 36°  
Power: 7W

ROSE GOLD



Model no: 148-12W (NEW) Beam Angle: 36°  
Power: 12W

BLACK



Model no: 148-18W (NEW) Beam Angle: 36°  
Power: 18W

# IP65

PRODUCT CODE: HYFARHCOBSRF IP65

OPTIONS: BLACK



Model no: 210-7W Color Temperature: 3000K  
Power: 7W Beam Angle: 25° To 30°



Model no: 210-12W Color Temperature: 3000K  
Power: 12W Beam Angle: 25° To 30°

HYFFA 57

# FANCY 3W

PRODUCT CODE: HYFARHCOBR 278

OPTIONS: ROSE GOLD, BLACK, WHITE

Color Temperature: 3000K / 4000k / 6500K

ROSE GOLD



Model no: 278-3W Beam Angle: 15°  
Power: 3W

BLACK



Model no: 278-3W Beam Angle: 15°  
Power: 3W

WHITE



Model no: 278-3W Beam Angle: 15°  
Power: 3W

# SURFACE TRACK LIGHT

PRODUCT CODE: HYFARHSF TRAKL 138

OPTIONS: BLACK, WHITE

Color Temperature: 3000K / 4000K / 6500K

BLACK



Model no: SURF 148-12W Beam Angle: 36°  
Power: 12W

WHITE



Model no: SURF 148-20W Beam Angle: 36°  
Power: 20W

BLACK



Model no: SURF 148-30W Beam Angle: 36°  
Power: 30W

# TRACK LIGHT - AVAILABLE IN 3IN1

PRODUCT CODE: HYFARHTRAKL 138

OPTIONS: BLACK, WHITE

Color Temperature: 3000K / 4000K / 6500K / 3in1 available

BLACK



Model no: 138-12W  
Power: 12W Beam Angle: 30°

WHITE



Model no: 138-20W Beam Angle: 30°  
Power: 20W

BLACK



Model no: 138-30W Beam Angle: 30°  
Power: 30W



HYFFA 59

# LED MAGNETIC TRACK RANGE

OPTIONS: BLACK BODY



Color Temperature: 3000K / 4000K / 3in1 / Dimmable and Tuneable on remote

**1** Product Code  
Mag-Profile



POWER: 10W, 20W

**2** Product Code  
Mag-Lazer Spot



POWER: 6W, 12W

**3** Product Code  
Mag- Track Spot



POWER: 10W, 20W

**4** Product Code  
Mag- Movable Lazer Spot



POWER: 6W, 12W

**5** Product Code  
Mag- Hanging Spot



POWER: 7W, 12W

**6** Product Code  
Mag- Track Channel



LENGTH: 1, 2, & 3 Mtr.

**7** Product Code  
Mag- Recessed Corner



**8** Product Code  
Mag- Surface Corner



**9** Product Code  
Mag- DC Connector



**10** Product Code  
Mag- Double Soft





Remote for D&T

## DEEP DOWNLIGHT

PRODUCT CODE: HYFARHDOWNL3CCT 118

Color Temperature: 3000K / 4000K / 6500k / 3in1 / Dimmable and Tuneable on remote

ROUND



Model no: 118-12W    Beam Angle: 90°  
Power: 12W

HYFFA 61

SQUARE



Model no: 118-18W    Beam Angle: 90°  
Power: 18W



Model no: 118-24W    Beam Angle: 90°  
Power: 24W

# OUTDOOR WALL LIGHT IP65

PRODUCT CODE: HYFARHMT2WAY 178



Model no: 178-2W    Color Temperature: 3000K  
Power: 2W    Beam Angle: 15°

PRODUCT CODE: HYFARHMT4WAY 188



Model no: 188-4W    Color Temperature: 3000K  
Power: 4W    Beam Angle: 15°

PRODUCT CODE: HYFARHMTUPDN 158



Model no: 158-2W    Color Temperature: 3000K  
Power: 2W    Beam Angle: 15°

PRODUCT CODE: HYFARHMSTPLT 138  
PRODUCT CODE: HYFARHMSTPLT 148



Model no: 138-4W    Color Temperature: 3000K  
Model no: 148-8W    Beam Angle: 25°

PRODUCT CODE:  
HYFARHMTUPDN2WY 198



Model no: 198-2W    Color Temperature: 3000K  
Power: 2W    Beam Angle: 15°

PRODUCT CODE:  
HYFARHMTUPDN4WY 198



Model no: 198-4W    Color Temperature: 3000K  
Power: 4W    Beam Angle: 15°

PRODUCT CODE:  
HYFARHMTUPDN6WY 198



Model no: 198-6W    Color Temperature: 3000K  
Power: 6W    Beam Angle: 15°

PRODUCT CODE:  
HYFARHMTUPDN8WY 198




Model no: 198-8W    Color Temperature: 3000K  
Power: 8W    Beam Angle: 15°

PRODUCT CODE:  
HYFARHMTUPDN10WY 198



Model no: 198-10W    Color Temperature: 3000K  
Power: 10W    Beam Angle: 15°



## FACADE LIGHT



<b>Model no:</b>	<b>HYF-ARHSPYKEFSD-12W-IP65</b>	<b>HYF-ARHSPYKEFSD-18W-IP65</b>
<b>Colour Temp.</b>	3000k	3000k
<b>Input Power (W)</b>	12W	18W
<b>Size</b>	65mm x 120mm	65mm x 145mm
<b>Input Rated Voltage</b>	220-240VAC	220-240VAC
<b>Make</b>	Aluminium Die Cast	Aluminium Die Cast
<b>IP Rating</b>	IP65	IP65

# SPIKE LIGHTS



**Model no:** HYF-ARHSPYKESPK-6W-IP65  
**Colour Temp.** 3000k / GREEN / RGBW  
**Input Power (W)** 6W  
**Size (HxWxD)** 240mm x 80mm x 60mm  
**Input Rated Voltage** 220-240VAC  
**Make** Aluminium Die Cast  
**IP Rating** IP65



<b>Model no:</b>	<b>HYF-ARHSPYKESPKCAP-8W-IP65</b>	<b>HYF-ARHSPYKESPKCAP-12W-IP65</b>
<b>Colour Temp.</b>	3000k	3000k
<b>Input Power (W)</b>	8W	12W
<b>Size (HxWxD)</b>	350mm x 140mm x 80mm	350mm x 140mm x 80mm
<b>Input Rated Voltage</b>	220-240VAC	220-240VAC
<b>Make</b>	Aluminium Die Cast	Aluminium Die Cast
<b>IP Rating</b>	IP65	IP65



<b>Model no:</b>	<b>HYF-ARHSPYKESPK02-7W-IP65</b>	<b>HYF-ARHSPYKESPK02-12W-IP65</b>
<b>Colour Temp.</b>	3000k	3000k
<b>Input Power (W)</b>	7W	12W
<b>Size (HxWxD)</b>	45mm x 66mm	65mm x 100mm
<b>Input Rated Voltage</b>	220-240VAC	220-240VAC
<b>Make</b>	Aluminium Die Cast	Aluminium Die Cast
<b>IP Rating</b>	IP65	IP65



## LED BOLLARD LIGHTS

PRODUCT CODE: HYFARHGRBLD 110

BULB HOLDER: TYPE E-27 BASE

400 MM



HYFFA 65

650 MM



800 MM



# LED BOLLARD LIGHTS

PRODUCT CODE: HYFARHGRBLD 120

BULB HOLDER: TYPE E-27 BASE

400 MM



650 MM



800 MM



PRODUCT CODE: HYFARHGRBLD 130

BULB HOLDER: TYPE E-27 BASE

300 MM



650 MM



800 MM



PRODUCT CODE: HYFARHGRBLD 140

BULB HOLDER: TYPE E-27 BASE

300 MM



500 MM



800 MM





## LED BOLLARD LIGHTS

PRODUCT CODE: HYFARHGRBLD 150

BULB HOLDER: TYPE E-27 BASE

300 MM



500 MM



800 MM



HYFFA 67

# LED BOLLARD LIGHTS

PRODUCT CODE: HYFARHGRBLD 160

POWER: 10W

220 MM



500 MM



700 MM



PRODUCT CODE: HYFARHGRBLD 220 / 150

BULB HOLDER: TYPE E-27 BASE

300 MM



500 MM



700 MM



PRODUCT CODE: HYFARHGRBLD 210 / 150

BULB HOLDER: TYPE E-27 BASE

300 MM



500 MM



700 MM



# OUTDOOR WALL LIGHT IP65

**PRODUCT CODE:**

HYF-DECOWALL-LAMP-226-6W-IP65



Model no: 226-6W    Color Temperature: 3000K  
Power: 6W

**PRODUCT CODE:**

HYF-DECOUPDOWN-LAMP-223-10W-IP65



Model no: 223-10W    Color Temperature: 3000K  
Power: 10W    Beam Angle: 35°

**PRODUCT CODE:**

HYF-WALLBULKHEAD-PC-213-7W-IP65



Model no: 213-7W    Color Temperature: 3000K  
Power: 7W    Beam Angle: 50°

**PRODUCT CODE:**

HYF-DECODOWNWALL-LAMP-225-6W-IP65



Model no: 225-6W    Color Temperature: 3000K  
Power: 6W    Beam Angle: 30°

**PRODUCT CODE:**

HYF-DECOWALL-LAMP-248-15W-IP65



Model no: 248-15W    Color Temperature: 3000K  
Power: 15W    Beam Angle: 45°

**PRODUCT CODE:**

HYF-DECOWALL-LAMP-222-6W-IP65



Model no: 222-6W    Color Temperature: 3000K  
Power: 6W    Beam Angle: 30°

**PRODUCT CODE:**

HYF-WALLBULKHEAD-PC-220-7W-IP65



Model no: 220-7W    Color Temperature: 3000K  
Power: 7W    Beam Angle: 20°

**PRODUCT CODE:**

HYF-WALLSTEPBULKHEAD-PC-216-7W-IP65



Model no: 216-7W    Color Temperature: 3000K  
Power: 7W    Beam Angle: 25°

**PRODUCT CODE:**

HYF-DECOWALL-LAMP-215-7W-IP65




Model no: 215-7W    Color Temperature: 3000K  
Power: 7W    Beam Angle: 25°



**PRODUCT CODE:**


HYF-DECOWALL-LAMPRO-228-10W-IP65



Model no: 228-10W    Color Temperature: 3000K  
Power: 10W

**PRODUCT CODE:**

HYF-DECOWALL-LAMPSQ-229-10W-IP65



Model no: 229-10W    Color Temperature: 3000K  
Power: 10W

**PRODUCT CODE:**

HYF-DECOWALL4WAY-227-12W-IP65



Model no: 227-12W    Color Temperature: 3000K  
Power: 12W    Beam Angle: 15°

**PRODUCT CODE:**

HYF-ARHDOWNLIGHT-232-6W-IP65



Model no: 232-6W    Color Temperature: 3000K  
Power: 6W    Beam Angle: 15°

**PRODUCT CODE:**

HYF-ARHUPDOWNLIGHT-233-12W-IP65




Model no: 233-12W    Color Temperature: 3000K  
Power: 12W    Beam Angle: 15°

**PRODUCT CODE:**

HYF-ARHDOWNLIGHT-230-6W-IP65  
HYF-ARHUPDOWNLIGHT-LAMP-231-12W-IP65  
LENS TYPE



Model no: 230-6W/12W    Color Temperature: 3000K  
Power: 6W/12W    Beam Angle: 15°



HYFFA 71

## LED BULB



Model no:	Power:	Color Temperature:	Beam Angle:
HYF-BLB-1W	1W	3000K/R/G/B/OR/WHT	> 120°
HYF-BLB-3W	3W	3000K, 6500K	> 120°
HYF-BLB-5W	5W	3000K, 6500K	> 120°
HYF-BLB-7W	7W	3000K, 6500K	> 120°
HYF-BLB-9W	9W	3000K, 6500K	> 120°

Model no:	Power:	Color Temperature:	Beam Angle:
HYF-EMB-10W	10W	6500K	> 120°
HYF-BLB-12W	12W	3000K, 6500K	> 120°
HYF-BLB-15W	15W	3000K, 6500K	> 120°
HYF-BLB-18W	18W	3000K, 6500K	> 120°
HYF-BLB-23W	23W	3000K, 6500K	> 120°

**BULB HOLDER:** B22/E27 BASE

## HAMMER BULB



Model no:	Power:	Color Temperature:	Beam Angle:
HYF-HMB-30W	30W	3000K, 6500K	> 270°
HYF-HMB-40W	40W	3000K, 6500K	> 270°
HYF-HMB-50W	50W	3000K, 6500K	> 270°

**BULB HOLDER:** B22/E27 BASE

## LED BATTEN



Model no:	Power:	Color Temperature:	Beam Angle:
HYF-BTT-5W	5W	3000K, 4000K, 6500K	> 120°
HYF-BTT-10W	10W	3000K, 4000K, 6500K	> 120°
HYF-BTT-22W	22W	3000K, 4000K, 6500K	> 120°
HYF-BTT-20W TRICCT	20W	3in1	> 120°
HYF-BTT-40W (Aluminium)	40W	3000K, 4000K, 6500K	> 120°

**New launch: Batten 22/40 watt. Sensor ON / OFF / 70% Dimmable**

## LED DRIVERS IP65 (SMPS)



Model no:	Power:	IP Rating:	Material:
HYF-3A-12W-36-IP65	36W	IP65	Aluminium heavy body
HYF-5A-12W-60W-IP65	60W	IP65	Aluminium heavy body

## LED DRIVERS IP20 (SMPS)



Model no:	Power:	Type:	IP Rating:
HYF-2A-12V-24W-IP20	24W	Regular slim	IP20
HYF-3A-12V-36W-IP20	36W	Regular slim	IP20
HYF-5A-12V-60W-IP20	60W	Ultra slim	IP20
HYF-10A-12V-120W-IP20	40W	Ultra slim	IP20
HYF-16.5A-12V-200W-IP20	200W	Ultra slim	IP20
HYF-25A-12V-300W-IP20	300W	Ultra slim	IP20
HYF-33A-12V-396W-IP20	396W	Ultra slim	IP20

## SOLAR POWERED STREET LIGHT



With Remote

### INBUILT RADAR SENSOR AND MOTION SENSOR

Model no:	HYF-SOLAR-STL-20W	HYF-SOLAR-STL-40W	HYF-SOLAR-STL-60W	HYF-SOLAR-STL-80W
<b>Housing Type:</b>	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
<b>Power</b>	20W	40W	60W	80W
<b>LED Chips</b>	5730 / 48 PCS	5730 / 96 PCS	5730 / 144 PCS	5730 / 192 PCS
<b>House</b>	ABS 39*19.4*5.2 cm	ABS 48.5*22.5*5.3 cm	ABS 62.5*23.9*5.5 cm	ABS 720*240 cm
<b>Battery</b>	32650 3.2 V / 5Ah	32650 3.2 V / 10Ah	32650 3.2 V / 15Ah	32650 3.2 V / 20Ah
<b>Solar Panel</b>	6V / 6W Polycrystalline Silicon 298*187 mm	6V / 9W Polycrystalline Silicon 397*212 mm	6V / 14W Polycrystalline Silicon 508*231 mm	6V / 16W Polycrystalline Silicon 2608*231 mm
<b>Lighting Time</b>	10-12 H	10-12 H	10-12 H	10-12 H
<b>Charging Time</b>	8-12 H	8-12 H	8-12 H	8-12 H
<b>Waterproof</b>	IP65	IP65	IP65	IP65

## STREET LIGHT



Model no:	HYF-LST-25W	HYF-LST-36W	HYF-LST-50W	HYF-LST-72W	HYF-LST-100W	HYF-LST-150W
Power	25W	36W	50W	72W	100W	150W
LED Size	2835	2835	2835	2835	2835	2835
Body Color	Grey	Grey	Grey	Grey	Grey	Grey
IP Rating	IP 65					
Color Temp.	3000k & 6500k					
Lumen Output	>2500 Lm	>3600 Lm	>5000 Lm	>7200 Lm	>10000 Lm	>15000 Lm
Material	Pressure die cast aluminium enclose					
Beam Angle	>110°	>110°	>110°	>110°	>110°	>110°
Mounting	Pole mount					

## STREET LIGHT



Model no:	HYF-EEST-25W	HYF-EEST-30W	HYF-EEST-40W	HYF-EEST-60W
Power	25W	30W	40W	60W
LED Size	2835	2835	2835	2835
Body Color	Grey	Grey	Grey	Grey
IP Rating	IP 65	IP 65	IP 65	IP 65
Color Temp.	3000k & 6500k	3000k & 6500k	3000k & 6500k	3000k & 6500k
Lumen Output	>2400 Lm	>3000 Lm	>4000 Lm	>6000 Lm
Material	Pressure die cast aluminium enclose			
Beam Angle	>120°	>120°	>120°	>120°
Mounting	Pole mount	Pole mount	Pole mount	Pole mount

## PLASTIC STREET LIGHT



Model no:	HYF-SLPC-25W	HYF-SLPC-36W	HYF-SLPC-50W
Power	25W	36W	50W
Luminous Flux	2500 lm	3600 lm	5000 lm
System Luminous Efficacy	100 lm/W	100 lm/W	100 lm/W
Color Temp.	6500k	6500k	6500k
Rated Voltage	220-240V AC, 50Hz	220-240V AC, 50Hz	220-240V AC, 50Hz
Rated Current	0.12A	0.18A	0.25A
Beam Angle	>110°	>110°	>110°
CRI	≥80	≥80	≥80
Power factor	≥0.9	≥0.9	≥0.9

## SENSOR BASED STREET LIGHT

INBUILT SENSOR AND AUTO ON/OFF DUSK AND DOWN



Model no:	HYF-SLST-25W	HYF-SLST-36W	HYF-SLST-50W
Power	25W	36W	50W
LED Size	2835	2835	2835
Body Color	Grey	Grey	Grey
IP Rating	IP 65	IP 65	IP 65
Color Temp.	3000k & 6500k	3000k & 6500k	3000k & 6500k
Lumen Output	>2500 Lm	>3600 Lm	>5000 Lm
Material	Pressure die cast aluminium enclose	Pressure die cast aluminium enclose	Pressure die cast aluminium enclose
Beam Angle	>110°	>110°	>110°
Mounting	Pole mount	Pole mount	Pole mount

# PCP PANEL



Model no:	HYF-PCP-5W	HYF-PCP-8W	HYF-PCP-12W	HYF-PCP-15W
Dia / Length	85 mm	120 mm	170 mm	170 mm
Height	32 mm	35 mm	35 mm	35 mm
Weight	40 gm	44 gm	82 gm	82 gm
Cut out	65 mm	100 mm	150 mm	150 mm
Type	Round / Square	Round / Square	Round / Square	Round / Square
Category	LED Panel	LED Panel	LED Panel	LED Panel
Input Power	5W	8W	12W	15W
Input Voltage (V)	220-240	220-240	220-240	220-240
Power Factor	>0.90	>0.90	>0.90	>0.90
THD%	<20%	<20%	<20%	<20%
Lumens	450	800	1200	1500
Driver Efficiency	≥85	≥85	≥85	≥85
Operating Voltage (V)	140V~300V AC	140V~300V AC	140V~300V AC	140V~300V AC
Operating Frequency (HZ)	47Hz~53Hz	47Hz~53Hz	47Hz~53Hz	47Hz~53Hz
Driver Type	Non-Isolated	Non-Isolated	Non-Isolated	Non-Isolated
High Voltage Protection	380 V for 30 min			

Model no:	HYF-PCP-20W	HYF-PCP-10W-3in1	HYF-PCP-15W-3in1
Dia / Length	170 mm	120 mm	170 mm
Height	35 mm	35 mm	35 mm
Weight	96 gm	82 gm	82 gm
Cut out	155 mm	155 mm	155 mm
Type	Round / Square	Round / Square	Round / Square
Category	LED Panel	LED Panel	LED Panel
Input Power	20W	15W	15W
Input Voltage (V)	220-240	220-240	220-240
Power Factor	>0.90	>0.90	>0.90
THD%	<20%	<20%	<20%
Lumens	2000	1000	1500
Driver Efficiency	≥85	≥85	≥85
Operating Voltage (V)	140V~300V AC	140V~300V AC	140V~300V AC
Operating Frequency (HZ)	47Hz~53Hz	47Hz~53Hz	47Hz~53Hz
Driver Type	Non-Isolated	Non-Isolated	Non-Isolated
High Voltage Protection	380 V for 30 min	380 V for 30 min	380 V for 30 min

# LED SLIM METAL PANEL (3 in 1 also available on request)

SQUARE



ROUND



Model no:	<b>HYF-FLKRF-3W</b>	<b>HYF-FLKRF-6W</b>	<b>HYF-FLKRF-12W</b>
Power	3W	6W	12W
LED Size	2835	2835	2835
Body Colour	White	White	White
IP Rating	IP20	IP20	IP20
Color Temp.	3000K, 4000K 6500K	3000K, 4000K 6500K	3000K, 4000K 6500K
Lumen Output	>300 Lm	>600 Lm	>1200 Lm
Cut out	75 mm	100 mm	125 mm
Material	Metal body material	Metal body material	Metal body material
Beam Angle	> 120	> 120	> 120
Mounting	False Ceiling	False Ceiling	False Ceiling

Model no:	<b>HYF-FLKRF-15W</b>	<b>HYF-FLKRF-18W</b>
Power	15W	18W
LED Size	2835	2835
Body Colour	White	White
IP Rating	IP20	IP20
Color Temp.	3000K, 4000K 6500K	3000K, 4000K 6500K
Lumen Output	>1500 Lm	>1800 Lm
Cut out	152 mm	175 mm
Material	Metal body material	Metal body material
Beam Angle	> 120	> 120
Mounting	False Ceiling	False Ceiling

Model no:	<b>HYF-FLKRF-22W</b>	<b>HYF-FLKRF-25W</b>
Power	22W	25W
LED Size	2835	2835
Body Colour	White	White
IP Rating	IP20	IP20
Color Temp.	3000K, 4000K 6500K	3000K, 4000K 6500K
Lumen Output	>2200 Lm	>2500 Lm
Cut out	205 mm	1185 mm
Material	Metal body material	Metal body material
Beam Angle	> 120	> 120
Mounting	False Ceiling	False Ceiling

## 2-IN-1 PANEL



<b>Model no:</b>	<b>HYF 3+3-6W</b>	<b>HYF 6+3-9W</b>	<b>HYF 12+4-16W</b>	<b>HYF 12+4 Surface 16W</b>
<b>Power</b>	6W	9W	16W	16W
<b>LED Size</b>	2835	2835	2835	2835
<b>Body Colour</b>	White	White	White	White
<b>IP Rating</b>	IP20	IP20	IP20	IP20
<b>Color Temp.</b>	W/W.W., W/G W/B, W/P, W/PGB			
<b>Lumen Output</b>	>480 Lm	>720 Lm	>1280 Lm	>1280 Lm
<b>Material</b>	Extruded aluminium enclosure	Extruded aluminium enclosure	Extruded aluminium enclosure	Extruded aluminium enclosure
<b>Beam Angle</b>	> 120	> 120	> 120	> 120
<b>Mounting</b>	Ceiling mount	Ceiling mount	Ceiling mount	Ceiling mount



# RIMLESS SURFACE PANEL



Model no:	HYF-RSFP-6W	HYF-RSFP-12W	HYF-RSFP-18W	HYF-RSFP-24W
Dia / Length	80 mm	105 mm	155 mm	175 mm
Height	32 mm	38 mm	35 mm	35 mm
Weight	40 gm	44 gm	82 gm	82 gm
Type	Round / Square	Round / Square	Round / Square	Round / Square
Category	LED Panel	LED Panel	LED Panel	LED Panel
Input Power	6W	12W	18W	24W
Input Voltage (V)	220-240	220-240	220-240	220-240
Power Factor	>0.90	>0.90	>0.90	>0.90
THD%	<20%	<20%	<20%	<20%
LED Lumens	540	1080	1620	2160
Driver Efficiency	≥85	≥85	≥85	≥85
Operating Voltage (V)	140V~300V AC	140V~300V AC	140V~300V AC	140V~300V AC
Operating Frequency (HZ)	47Hz~53Hz	47Hz~53Hz	47Hz~53Hz	47Hz~53Hz
Driver Type	Drive on board	Drive on board	Drive on board	Drive on board
High Voltage Protection	380 V for 30 min			





## ROPE LIGHTS

### DESCRIPTION

2835 120 LED per mtr

### COLOURS

3000K, Red, Blue, Green Tiranga

### LENGTH

50 Mtr. Roll  
50 Mtr. Roll  
18 Mtr. Roll



## NEON COB ROPE LIGHT IP 65

### DESCRIPTION

288 LED per mtr  
(9 watt per meter)

### COLOURS

3000K

### LENGTH

30 Mtr. Roll



## LED STRIP



Model no:	HYF-ST 2835 60 LED PER METER	HYF-ST 2835 120 LED PER METER	HYF-ST 2835 240 LED PER METER	HYF-ST 5050-RGBW 60 LED PER METER DIMABLE
Power	25W	50W	100W	72W
Type	Flexible Strip	Flexible Strip	Flexible Strip	Flexible Strip
LED Type	2835	2835	2835	5050
Color Temp.	White, Warm White, Natural White, Pink, Purple, Orange, Green, Red, Lemon yellow, RGB, Amber	White, Warm White, Ice Blue, Blue, Natural White, Pink, Purple, Orange, Green, Red, Lemon yellow, RGB, Amber	3000k, 4000k, 6500k	Multicolour RGBW
IP Rating	IP20	IP20	IP20	IP20

120 LED and 180 LED in 5mm size. Color Temperature: 3000K / 4000K / 6500k

# FLOOD LIGHTS EFL



Model no:	HYF-EFL-10W	HYF-EFL-20W	HYF-EFL-30W	HYF-EFL-50W	HYF-EFL-100W
Input power (W)	10W	20W	30W	50W	100W
Input rated voltage (V)	220-240VAC	220-240VAC	220-240VAC	220-240VAC	220-240VAC
Operating voltage range (V)	100V-300VAC	100V-300VAC	100V-300VAC	100V-300VAC	100V-300VAC
Power factor	>0.95	>0.95	>0.95	>0.95	>0.95
Lumen output	1000Lm	2000Lm	3000Lm	5000Lm	10000Lm
Colour Temperature	3000k,6500K	3000k,6500K	3000k,6500K	3000k,6500K	3000k,6500K
CRI	>80	>80	>80	>80	>80
Beam Angle	Wide	Wide	Wide	Wide	Wide

Model no:	HYF-EFL-150W	HYF-EFL-200W	HYF-EFL-300W	HYF-EFL-350W	HYF-EFL-400W
Input power (W)	150W	200W	300W	350W	400W
Input rated voltage (V)	220-240VAC	220-240VAC	220-240VAC	220-240VAC	220-240VAC
Operating voltage range (V)	100V-300VAC	100V-300VAC	100V-300VAC	100V-300VAC	100V-300VAC
Power factor	>0.95	>0.95	>0.95	>0.95	>0.95
Lumen output	15000Lm	20000Lm	27000Lm	32000Lm	40000Lm
Colour Temperature	3000k,6500K	3000k,6500K	3000k,6500K	3000k,6500K	3000k,6500K
CRI	>80	>80	>80	>80	>80
Beam Angle	Wide	Wide	Wide	Wide	Wide

# DOB FLOOD LIGHTS

Model no:	HYF-FLDOB-50W	HYF-FLDOB-100W	HYF-FLDOB-200W
Input power (W)	50W	100W	200W
Input rated voltage (V)	220-240VAC	220-240VAC	220-240VAC
Operating voltage range (V)	100V-260VAC	100V-260VAC	100V-260VAC
Power factor	>0.95	>0.95	>0.95
Lumen output	5000Lm	10000Lm	20000Lm
Colour Temperature	6500K	6500K	6500K
CRI	>80	>80	>80
Beam Angle	Wide	Wide	Wide

## JUNCTION BOX



<b>Model no:</b>	<b>HYF-JB-7W</b>
<b>Product type</b>	2 Colour junction box
<b>Input power (W)</b>	7W
<b>Input rated voltage (V)</b>	AC220-240V
<b>Input voltage (V)</b>	50Hz
<b>Driver efficiency</b>	>85%

<b>Colour temp.</b>	Pressure die cast aluminium enclosure
<b>CRI</b>	>80°
<b>LED lumens</b>	70Lm/W
<b>Surge protection</b>	2.5 KV
<b>Beam angle</b>	120°
<b>Mounting</b>	Wall, Ceiling & Surface

## SPOT LIGHT (CABINET LIGHT)



<b>Model no:</b>	<b>HYF-SPL-1W</b>
<b>Power</b>	1W
<b>Type</b>	Round
<b>LED Size</b>	2835
<b>Body Color</b>	White
<b>IP Rating</b>	IP65
<b>Colour temp.</b>	6500K Blue, Green, Orange, Pink, Red
<b>Lumen Output</b>	>100Lm
<b>Material</b>	PC
<b>Beam Angle</b>	>24° and 50°
<b>Mounting</b>	Recessed

<b>HYF-SPL-3W</b>
3W
Round
2835
White
IP65
6500K, 3000K, 4000K Blue, Green, Orange, Pink, Red
>300Lm
PC
>30° and 60°
Recessed

## 2 WATT SPOT LIGHT



<b>Model no:</b>	<b>HYF-CABISPOT-2W</b>
<b>Product type</b>	LED Cabinet Spot LightPC body
<b>Body Color</b>	White
<b>Input power (W)</b>	2W
<b>Operating Voltage (V)</b>	85V-265V
<b>Input frequency</b>	50Hz

<b>Colour temp.</b>	3000K, 6500K, RED, GREEN, BLUE
<b>CRI</b>	>80
<b>LED lumens</b>	100Lm/W
<b>Beam angle</b>	90°
<b>Surge protection</b>	1.5KV
<b>Power factor</b>	>0.91

## STRIKER



<b>Model no:</b>	<b>HYF-STRK-5W</b>
<b>Product type</b>	Surface Striker
<b>Body type</b>	PC body
<b>Input power (W)</b>	5W
<b>Input rated Voltage (V)</b>	220-240V
<b>Input frequency</b>	50Hz>

<b>Driver efficiency</b>	85%
<b>Colour temp.</b>	3000K, 4000K, 6000K, Red, Green, Blue, Pink, Orange
<b>CRI</b>	>80
<b>LED lumens</b>	100Lm / W
<b>Surge protection</b>	1.5KV
<b>Beam angle</b>	120
<b>Mounting</b>	Wall, Ceiling and Surface

# MOONLIGHT



Model no:	HYF-ML-15W	HYF-ML-12W
Product type	Moonlight	Moonlight
Input Power (W)	15W	12W
Input rated voltage (V)	AC 140-275V	AC 140-275V
Input frequency	50Hz	50Hz
Driver efficiency	>85% (inbuilt)	>85% (inbuilt)
Color temp.	3000K, 4000K, 6500K	3000K, 4000K, 6500K
CRI	80	80
Material (Body)	PC	PC
LED lumens	100Lm/W	100Lm/W
Surge protection	2.5KV	2.5KV
Beam angle	120°	120°
Mounting	Wall, Ceiling and Surface	Wall, Ceiling and Surface

## NEW LAUNCH:

Sensor moon light 15 watt & 20 watt.  
Sensor ON / OFF / 70% Dimmable

Model no:	HYF-ML-10W 3in1	HYF-ML-15W 3in1
Product type	Moonlight	Moonlight
Input Power (W)	10W	15W
Input rated voltage (V)	AC 140-275V	AC 140-275V
Input frequency	50Hz	50Hz
Driver efficiency	>85% (inbuilt)	>85% (inbuilt)
Color temp.	3in1	3in1
CRI	80	80
Material (Body)	PC	PC
LED lumens	100Lm/W	100Lm/W
Surge protection	2.5KV	2.5KV
Beam angle	120°	120°
Mounting	Wall, Ceiling and Surface	Wall, Ceiling and Surface

# SWIVEL DOWN LIGHT (PC BODY)



Model no:	HYF-SWC-3W	HYF-SWC-6W	HYF-SWC-9W	HYF-SWC-12W
Power	3W	6W	9W	12W
Type	Round	Round	Round	Round
LED size	2835	2835	2835	2835
Body color	White	White	White	White
IP Rating	IP20	IP20	IP20	IP20
Color temp.	3000K, 4000k, 6500K	3000K, 4000k, 6500K	3000K, 4000k, 6500K	3000K, 4000k, 6500K
Lumen output	210Lm	390Lm	585Lm	780Lm
Material	PC	PC	PC	PC
Beam angle	35°	35°	35°	35°
Mounting	Ceiling	Ceiling	Ceiling	Ceiling

## HIGH BAY LIGHTS



Model no:	HYF-HIBAY	HYF-HIBAY	HYF-HIBAY
Power	50W	100W Lens type	150W Lens type
LED size	2835	2835	2835
Body color	Black	Black	Black
IP Rating	IP65	IP65	IP65
Color temp.	6500K	6500K	6500K
Lumen output	120 LM/Per Watt	120 LM/Per Watt	120 LM/Per Watt
Material	Aluminium die cast	Aluminium die cast	Aluminium die cast
Mounting	Hanging	Hanging	Hanging

Model no:	HYF-HIBAY	HYF-HIBAY
Power	200W Lens type	250W Lens type
LED size	2835	2835
Body color	Black	Black
IP Rating	IP65	IP65
Color temp.	6500K	6500K
Lumen output	120 LM/Per Watt	120 LM/Per Watt
Material	Aluminium die cast	Aluminium die cast
Mounting	Hanging	Hanging

## SWIVEL ALUMINIUM DOWN LIGHT



Model no:	HYF-SAC-3W	HYF-SAC-6W	HYF-SAC-9W
Power	3W	6W	9W
LED size	2855	2855	2855
Body color	White	White	White
IP Rating	IP20	IP20	IP20
Color temp.	3000K, 4000K, 6500K	3000K, 4000K, 6500K	3000K, 4000K, 6500K
Lumen output	>270Lm	>540Lm	>810Lm
Material	Aluminium body	Aluminium body	Aluminium body
Beam angle	>36°	>36°	>36°
Mounting	Ceiling mount	Ceiling mount	Ceiling mount

Model no:	HYF-SAC-12W	HYF-SAC-18W	HYF-SAC-24W	HYF-SAC-30W	HYF-SAC-40W	HYF-SAC-50W
Power	12W	18W	24W	30W	40W	50W
LED size	2855	2855	2855	2855	2855	2855
Body color	White	White	White	White	White	White
IP Rating	IP20	IP20	IP20	IP20	IP20	IP20
Color temp.	3000K, 4000K, 6500K					
Lumen output	>1200Lm	>1800Lm	>2400Lm	>3000Lm	>4000Lm	>5000Lm
Material	Aluminium body					
Beam angle	>36°	>36°	>36°	>36°	>36°	>36°
Mounting	Ceiling mount					



## 2X2 LED BACK-LIT PANEL



<b>Model no:</b>	<b>HYF-BL-6060-36W</b>	<b>HYF-BL-6060-48W</b>
<b>Power</b>	36W	48W
<b>LED size</b>	2835	2835
<b>Body color</b>	White	White
<b>IP Rating</b>	IP20	IP20
<b>Color temp.</b>	3000K, 4000K, 6500K	3000K, 4000K, 6500K
<b>Lumen output</b>	>3600Lm	>4800Lm
<b>Material</b>	Extruded aluminium	Extruded aluminium
<b>Beam angle</b>	>120°	>120°
<b>Mounting</b>	Grid Ceiling/False Ceiling	Grid Ceiling/False Ceiling

## HANGING PROFILE LIGHT



<b>Model no:</b>	<b>HYF-ARCPROFILELGT-20W</b>	<b>HYF-ARCPROFILELGT-40W</b>	<b>HYF-ARCPROFILELGT-60W</b>	<b>HYF-ARCPROFILELGT-80W</b>
<b>Power</b>	20W	40W	60W	80W
<b>LED size</b>	600mm 2 feet	1200mm 4 feet	1800mm 6 feet	2400mm 8 feet
<b>Lumen output</b>	2000 Lm	4000 Lm	6000 Lm	8000 Lm
<b>Protection</b>	4 KV Surge	4 KV Surge	4 KV Surge	4 KV Surge
<b>Customization</b>	Also available	Also available	Also available	Also available
<b>Mounting</b>	Hanging	Hanging	Hanging	Hanging

Customization also available. Available in 3000k, 4000k, 6500k Body Colour: White and Black

**HOLLOW RING**



**RING**



**HOLLOW HEXAGON 50\*70 PROFILE**



**LINEAR PROFILE CUSTOMISED ORDER ON REQUEST**

**SQUARE**



**HEXAGON**




**HOLLOW SQUARE 50\*70 PROFILE**



**HOLLOW TRIANGLE 50\*70 PROFILE**



**TRIANGLE**




**HOLLOW RECTANGLE 50\*70 PROFILE**




**LINEAR PROFILE CUSTOMISED ORDER ON REQUEST**

**Y - SHAPE 50\*70 PROFILE**



**RECTANGLE**



**HALF RING**



**S W I T C H G E A R**



### 'C'CURVE-SINGLE POLE

Rating (A)	Pack	Model no.
6-32A*	1/ 12/ 144	HYF1C6-032
40A	1/ 12/ 144	HYF1C40
50-63A	1/ 12/ 144	HYF1C50
63A	1/ 12/ 144	HYF1C63



### 'C'CURVE-DOUBLE POLE

Rating (A)	Pack	Model no.
6A-32A*	1 / 6 / 72	HYF2C6-032
40A	1 / 6 / 72	HYF2C40
63A	1 / 6 / 72	HYF2C63
100A	1 / 6 / 72	HYF2C100
125A	1 / 6 / 72	HYF2C125



### 'C'CURVE-THREE POLE

Rating (A)	Pack	Model no.
6A-32A*	1 / 4 / 48	HYF3C6-032
40A	1 / 4 / 48	HYF3C4Q
50A	1 / 4 / 48	HYF3C50
63A	1 / 4 / 48	HYF3C63
100A	1 / 4 / 48	HYF3C100
125A	1 / 4 / 48	HYF3C125



### 'C'CURVE-FOUR POLE

Rating (A)	Pack	Model no.
6A-32A*	1 / 3 / 36	HYF4C6-032
40A	1 / 3 / 36	HYF4C40
50A	1 / 3 / 36	HYF4C50
63A	1 / 3 / 36	HYF4C63
100A	1 / 3 / 36	HYF4C100
125A	1 / 3 / 36	HYF4C125





## DOUBLE POLE-ISOLATOR

Rating (A)	Pack	Model no.
40	1/ 6 / 72	HYF21S040
63	1/ 6 / 72	HYF21S063
100	1/ 6 / 72	HYF21S0100
125	1/ 6 / 72	HYF21S0125



## THREE POLE-ISOLATOR

Rating (A)	Pack	Model no.
40	1/ 4 / 48	HYF31S040
63	1/ 4 / 48	HYF31S063
100	1/ 4 / 48	HYF31S0100
125	1/ 4 / 48	HYF31S0125



## FOUR POLE-ISOLATOR

Rating (A)	Pack	Model no.
40	1 / 3 / 36	HYF41S040
63	1 / 3 / 36	HYF41S063
100	1 / 3 / 36	HYF41S0100
125	1 / 3 / 36	HYF1S0125



## FOUR POLE-CHANGEOVER

Rating (A)	Pack	Model no.
25	3	HYF4P25A
40	3	HYF4P40A
63	3	HYF4P63A



## DOUBLE POLE-CHANGEOVER

Rating (A)	Pack	Model no.
25	6	HYF2P25A
40	6	HYF2P40A
63	6	HYF2P63A





## DOUBLE POLE-RCCB


Rating (A)	Pack	Model no.
25	1 / 6 / 72	HYF2P25A30
25	1 / 6 / 72	HYF2P25A100
25	1 / 6 / 72	HYF2P25A300
40	1 / 6 / 72	HYF2P40A30
40	1 / 6 / 72	HYF2P40A100
40	1 / 6 / 72	HYF2P40A300
63	1 / 6 / 72	HYF2P63A30
63	1 / 6 / 72	HYF2P63A100
63	1 / 6 / 72	HYF2P63A300



## FOUR POLE-RCCB

Rating (A)	Pack	Model no.
25	1 / 3 / 36	HYF4P25A30
25	1 / 3 / 36	HYF4P25A100
25	1 / 3 / 36	HYF4P25A300
40	1 / 3 / 36	HYF4P40A30
40	1 / 3 / 36	HYF4P40A100
40	1 / 3 / 36	HYF4P40A300
63	1 / 3 / 36	HYF4P63A30
63	1 / 3 / 36	HYF4P63A100
63	1 / 3 / 36	HYF4P63A300
100	1 / 3 / 36	HYF4P100A30
100	1 / 3 / 36	HYF4P100A100
100	1 / 3 / 36	HYF4P100A300

**F A N**



# PHANTOM SMART BLDC



# PHANTOM BLDC LIGHT 8 WATT LED LIGHT (3-IN-1)



Rusty brown



Grey



Brown



White



## TECHNICAL SPECIFICATION

<b>Warranty</b>	3 year
<b>Air delivery</b>	235 CMM
<b>RPM</b>	380
<b>Remote</b>	RF
<b>Technology</b>	BLDC

Rusty brown




Grey



Brown



White



- Exotic Rich & trendy looks and design
- Incredibly Quiet
- 60% more efficient than conventional fan / normal fan
- Aerodynamic blade design
- Optimum Air flow at low voltage
- Superior metallic finished
- RF remote control operation for fan speed control



Save upto ₹ 8500/- annually



Smart remote



less noise operation



65% energy saving



BLDC Motor



High air delivery



100% Cooper



Summer/Winter  
(Reverse feature)



Smart algorithm



No heat




Runs 3 time more  
on inverter

# UNIQUE GINNI BLDC



## TECHNICAL SPECIFICATION

<b>Warranty</b>	3 year
<b>Air delivery</b>	235 CMM
<b>RPM</b>	380
<b>Remote</b>	IR
<b>Technology</b>	BLDC
<b>Size (mm):</b>	1200mm, 900mm, 600mm



- Exotic Rich & trendy looks and design
- Incredibly Quiet
- 60% more efficient than conventional fan/normal fan
- Aerodynamic blade design
- Optimum Air flow at low voltage
- Superior metallic finished
- IR remote control operation for fan speed control


Smart remote	less noise operation
65% energy saving	Summer/Winter (Reverse feature)
BLDC Motor	High air delivery
100% Cooper	Smart algorithm
No heat	Runs 3 time more on inverter



Save upto ₹8500/- annually



# ELEGANCE SMART BLDC

INDIA'S MOST ENERGY EFFICIENT BLDC CEILING FAN



## TECHNICAL SPECIFICATION

<b>Warranty</b>	3 year
<b>Air delivery</b>	235 CMM
<b>RPM</b>	380
<b>Remote</b>	RF
<b>Technology</b>	BLDC



- Incredibly Quiet
- 60% more efficient than conventional fan/normal fan
- Optimum Air flow at low voltage
- RF remote control operation for fan speed control
- Wider blade for batter air thrust
- Elegant design
- Superior metallic finished

Smart remote	less noise operation
65% energy saving	Summer/Winter (Reverse feature)
BLDC Motor	High air delivery
100% Cooper	Smart algorithm
No heat	Runs 3 time more on inverter



Save upto ₹8500/- annually

# NEO FAN (SINGLE STAR)



Ivory

White / Matt white

Brown / Smoke brown


Matt black



## TECHNICAL SPECIFICATION

**Power:** 48 W  
**Speed:** 380 RPM  
**Air delivery** 210 CMM  
**Size (mm)** 1200mm, 900mm, 600mm

- Incredibly Quiet
- More efficient
- Air flow
- Elegant design



# SURFACE GRID 2X2 CEILING FAN


**WITHOUT LED** MODEL: HYF-600X600CFAN 70W



## TECHNICAL SPECIFICATION

**Specification:** 600mm  
**Rate voltage/frequency:** 220-240-50Hz  
**Watt:** 70W  
**Speed:** 860-950 (first gear)  
 960-1050 (second gear)  
 1100-1200 (third gear)  
**Air delivery:** 15m<sup>3</sup>/min (first gear)  
 21m<sup>3</sup>/min (second gear)  
 28m<sup>3</sup>/min (third gear)  
**Noise:** 45DB (first gear)  
 51DB (second gear)  
 58DB (third gear)  
**Measurements:** 63x34x63: 2pcs/box  
**Installation size:** 60x60 cm

**WITH LED** MODEL: HYF-600X600CFAN 70W



# EXHAUST FAN



## TECHNICAL SPECIFICATION

**Speed:** 1450 RPM  
**Size (mm)** 150mm  
**Colour Option** White and Black



Aerodynamically designed blades  
for powerful air suction



Noiseless and  
Vibration free operation



Light weight and  
easy to install



## TECHNICAL SPECIFICATION

**Speed:** 1450 RPM  
**Size (mm)** 200mm  
**Colour Option** White and Black



High quality  
durable construction



## TECHNICAL SPECIFICATION

**Speed:** 1400 RPM  
**Size (mm)** 250mm  
**Colour Option** White and Black

**GEYSER**

## AQUA HOT INSTANT GEYSER (3 & 5 LTR)



### FEATURES

Powerful Elements  
 Rust proof powder coated body  
 Double layer insulation  
 Automatic thermal cutout  
 304 SS tank for long life  
 High precision thermostat  
 Neon indicators

### TECHNICAL SPECIFICATION

**Model:** Aqua Hot  
**Body type:** PP Body  
**Product colour:** Eglu white  
**Model code:** NPD 3 & 5 LMB Deco  
**Tank Capacity:** 3 Ltr and 5 Ltr  
**Rated Power, Watt:** 3000  
**Voltage:** 230  
**Frequency, HZ:** 50Hz  
**Current, Amp:** 13.04



## STORAGE WATER HEATER GEYSER (10 & 15 LTR)




### FEATURES

Powerful Elements  
 Double layer insulation  
 Automatic thermal cutout  
 SS tank for long life  
 High precision thermostat  
 Neon indicators

### TECHNICAL SPECIFICATION

**Model:** Aqua Hot  
**Product colour:** Eglu white  
**Model code:** Horizontal: DSWH 10  
**Tank Capacity:** 10 Ltr and 15 Ltr  
**Body type:** P P Body (Plastic)  
**Inner tank protection coating material:** Glass lining  
**Rated power, Watt:** 2000  
**Inner tank protection coating material:** 8kg /cm<sup>2</sup> (8bar)  
**Voltage:** 230 V AC  
**Frequency, HZ:** 50Hz  
**Current, Amp:** 8.69



- Glass Lined Enamel Coated inner tank for superior protection against corrosion & high durability.
- Glass Lined Enamelled Heating Element with Mg Rod for long life of tank & heating element.
- Class 1 working pressure (8 Bar), makes it suitable for high rise building.





Marketed by: NICTPL, Omkar Warehousing Phursungi - Mantarwadi Pune 412308 Maharashtra, INDIA.

Email: [sales@hyffa.com](mailto:sales@hyffa.com) | Customer Care: +91 74991 42940

Scan for  
e-brochure



Disclaimer: Specifications mentioned are based on test reports of the time of preparation of this catalogue. Technical products are under continuous upgradation and specifications may vary 5-10% depending on testing standards/instruments. Value parameters are approximate. Image are for reference purpose, drawn from photographs and rendering. Actuals products may vary in appearance. Product applications are mentioned specifically for indoor/outdoor use. Lumens mentioned are for higher CCT (6500K/5000K) for lower CCT (4000K/3000K), lumens reduce at 10-15%. In case, IP rating is not specified, it should be considered as Ip20.

**HYFFA<sup>®</sup>**

